





## ドライバ・コントローラ選定表

制御方式	区分	弁基本形式	適用ドライバ形式記号		掲載頁	コントローラ形式記号	掲載頁	指令入力機器形式記号	掲載頁						
			供給電源												
			AC100/200/220V	DC24V											
オープンループ	圧力制御弁	JRP-G02	KC-6-10	ZH-6-10	J-72	-	-	KMT-6-10	J-90						
		JRPL-G02													
		C2RP-G※※													
		C2RLP-G03													
		C2GLP-G03													
	流量制御弁	MEV※※	-	-	-	-	-	-	-						
		KSP-G02								ZDN-2-10 (弁に付属)	J-78				
		KSP-G02-N								EPD-03-10 EPK-02-10	J-80	PSL-02-10	J-88	-	-
		KSP-G03								EPD-03-10 EPK-03-10					
		KSP-G02-M								EPKD-02-10 EPKF-02-10	J-83				
マイナーフィードバック付	LEM-G※※	KF-5-10	-	-	-	-	-	KMT-6-10	J-90						
	LEMT-G03														
	LEMS-※※														
	LEMT-G04	KFH-5-10	-	-	-	-	-								
	SEM-G※※	KSV-2-10	-	J-86	-	-	-								
SEM-G※※-A	-	PSV-2-10 (弁に付属)	-	-	-	-	-								
クローズドループ	サーボ弁	KSPS-G02	-	EPKS-02-10 (弁に付属)	-	圧力制御用 SEC-P	-	KMT-6-10	J-90						
		JSES-G※※	-	PSV-2-10 (弁に付属)	-	圧力・速度制御用 SEC-PV	-	-	-						